

LG Chemical Limited LG Twin Tower / East Wing 20, Yoido-dong, Youngdungpo-gu Seoul 150-721 Korea

Tel: 822-3773-7449, 3634 Fax: 822-3773-7692, 7652

MSDS

(MATERIAL SAFETY DATA SHEET)

Grade TR-558AI ABS RESIN

File Number	MSDS-	ABS	TR-558AI
Issue Date	19	97. 04	. 12
Revised Date	19	99. 08	. 20
Revised Item			
Page		1/3	·

Ιαλ	. 022-0110-1002, 1002	Page 1/3		
1. Che	emical Product & Manufacturer's Info	rmation		
а.	Chemical Product Name	Methyl Metha acrylate, Acrylonitrile, Butadiene, and Styrene Co-polymer		
b.	Usage			
о. С.	Chemical Type	Electronic Goods, Automotive Parts, Package, etc Thermoplastics		
d.	Manufacturer's Address	•		
e.	Prepared By	LG Chem, 20, Yoido-dong, Youngdungpo-gu, Seoul, 150-721, Korea LG Chem / ABS PS Division		
	<u> </u>	EG CHEIT / ADG T G DIVISION		
Z. Ingr	redients			
		CAS Number Contents		
a.	Methyl Metha Acrylate ABS	9010-94-0 98 - 100%		
b.	Typical Antioxidants	0 - 1%		
C.	Typical Lubricants	0 - 1%		
d.				
e.				
f.				
3. Phy	sical & Chemical Character			
a.	Appearance	Pellet		
b.	Odor	Almost Odorless		
C.	рН	Neutral		
d.	Specific Gravity	1.08		
e.	Evaporation Rate	Not applicable at standard condition		
f.	Vapor Pressure	Not applicable at standard condition		
g.	Vapor Density	Not applicable at standard condition		
h.	Solubility in Water	insoluble		
I	Solubility in other Solvent Soluble in THF, Acetone and other Analogous Solvents			
4. Hea	alth Hazard Data			
a.	Threshold Limit			
b.	Effect of overexposure			
	- Eye Contact	Solid or dust may cause irritation or corneal injury due to		
		mechanical action		
	- Skin Contact	Essentially nonirritating to skin, Mechanical injury only		
	- Skin Absorption	Unlikely due to physical properties		
	- Ingestion	Unlikely due to physical state.		
	- Inhalation	Dust may cause irritation to respiratory		
		In case of breathing, fumes released from heated material		
		may cause respiratory irritation		
	- Chronic Effects	Not Available		
	- Mutagenicity	Not Available		



MSDS

Grade: TR-558AI

File Number	MSDS-	ABS	TR-558AI
Revised Date	19	99. 08	. 20
Page		2/3	

_	Eirct	۸i۸	Measures
ר	HITCT	חוב	IVIDACIITAS

a. Eye Contact Immediately rinse eyes with copious amount of running water

and seek medical advice

b. Skin Contact Essentially nonirritating to skin but rinse with copious water

c. Ingestion If vomiting occurs, lower the head to ease vomiting and seek for medical

advice

d. Inhalation In case of breathing, fumes released from heated material may

cause respiratory irritation

In case of inhaling dense smoke, immediately remove a person to fresh air. If necessary, apply artificial respiration

and seek medical attention immediately

e. Mutagenicity Not Available

6. Fire & Explosion Hazard Data

a. Flash Point Not Applicable

b. Flammability 1/16" HB (UL-94. File No. E-6717M)

c. Auto Ignition Point Not Applicable

d. Extinguishing Media Usually use water and use extinguishing media appropriate to

surrounding conditions

e. Special Fire Fighting Procedure Cool Containers with water spray. In closed stores, provide fire

fighter with self-contained breathing apparatus in positive

pressure mode

f. Usual Fire and Explosion Hazards Irritating gases and dense smoke

7. Reactivity Data

a. Stability Stable under normal condition
 b. Storage conditions to avoid Avoid fire and heating above 60°C

c. Incompatibility None known
 d. Hazardous decomposition products Not applicable
 e. Hazardous polymerization Not occur

8. Spill or Leak Procedures

a. Cleaning Method Sweep, use vacuum cleaner, or shovel into intact packaging

for waste disposal or possible re-use

b. Waste Disposal Method Reuse or transfer to an approved disposal area.

Observe all federal, state, or local regulations upon disposition



MSDS

Grade: TR-558AI

File Number	MSDS-	ABS	TR-558AI
Revised Date	19	99. 08	. 20
Page		3/3	

_	Evo	Cafaty gaggles
a.	Eye	Safety goggles
b.	Hands	Protective gloves
b.	Respirator	Chemical protect respirator (fumes released from heated material)
C.	Others	If necessary, use protective equipment handling this product
	dling & Storage	Avoid formation of dust
a.	Handling	Keep bags always closed / Keep container lightly closed
		Avoid pellets / bags from getting wet
b.	Storage	Keep bags / containers in a well-ventilated place
		Avoid pellets / bags from getting wet

Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations. The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements. It should, therefore, not be construed as guaranteeing specific properties.