

SAFETY DATA SHEET

In according 3rd revision GHS

Revision Date : 3 August 2017

Product Name	: BC03B
Product Type	: Block-co Polypropylene
Product Use	: Injection Molding
Manufacturer	: IRPC Public Company Limited
	299 Moo. 5 Sukhumvit Road, Amphur Muang, Rayong THAILAND
Emergency Call	: +66(0) 38802560
Website	: www.irpc.co.th, www.irpcpetroleum.com

Section 2 – Hazards Identification

Classification according to Regulation (EC) No. 1272/2008 (CLP) and GHS Classification :

This product is not classified as dangerous according to Regulation (EC) No 1272/2008 and GHS

Pictogram : Not Applicable

Signal Word : Not applicable

Hazard Statement :

Precautionary Statement :

Section 3 - Composition / Information on Ingredients

Chemical Name	CAS Number	EC Number	Percent weight	
Polypropylene	9003-07-0	Polymer	>80	
Propylene Ethylene Copolymer	9010-79-1	Polymer	<20	



1

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาการ ปี เช้น 6 กนนวิกาวดีรับสิต แขวงจิตุจักร เขตจิตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited



Section 4 – First-aid Measures

Skin Exposure : If molten material comes in contact with the skin, cool under ice water or a running stream of water.DO NOT attempt to remove the material from the skin.Remove could result in serve tissue damage.Get medical attention.			
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open.Remove contact lenses, if worn.Get immediate medical attention.		
Inhalation	: Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue.		
Ingestion	Ingestion : No first aid procedures are required.Seek medical attention if a significant amount is swallowed.		
Section 5 – Fire-fight	ing Measures		
Suitable extinguishing agents : Dry chemicals, foam, water, carbon dioxide and halon. Avoid using direct streams of water on molten burning material.			
Hazards during fire-fighting : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.			
Protective equipment : Wear self-contained respiratory protective device.			
Section 6 – Accidental Release Measures			
Personal precautions : Avoid breathing vapors and contact with skin and eyes.			
Environmental precautions : Discharge into the environment must be avoided.			

Cleanup :

Collect spilled material using a method that minimizes dust generation (e.g., wet methods, HEPA vacuum).Place waste in an appropriate container for disposal.Allow molten material to solidify before disposal.

Section 7 – Handling and Storage				
Handling	: Use with adequate ventilation.Handling of pellets may form dust.Filter and ventilate dust where necessary.			
Storage conditions	: Store in cool location and ventilated place.Ventilate enclosed storage areas, such as trailers and railcars, before entering.Have emergency equipment for fires and spills readily available.			



2

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี เชิ่น 6 กนนอีกาวดีรับสิต เช่วงจอตุจักร เชตอตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 เพ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com



Section 8 – Exposure Controls / Personal Protection

:

Exposure limits

Component Name	Reference	TWA		STEL	
		ppm	mg/m3	ppm	mg/m3
Delimnenulene	Canada-OEL	-	10	-	-
Polypropylene	Italy-OEL	-	10	-	-
Dronalana Ethadana Canalaman	Canada-OEL	-	10	-	-
Propylene Ethylene Copolymer	Italy-OEL	-	10	-	-

Personal protective equipment

Respiratory protection	No special respiration protection is normally required.			
Eye protection	: Chemical workers goggles recommended.			
Protective clothing	: Gloves required when handling hot material.In case of fire, wear MSHA/NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.			
Ventilation	: Provide adequate ventilation when processing material at elevated temperatures.			
Other protective equipment	: Ensure that eyewash stations and safety showers are proximal to the work-station location.			
Engineering Controls	: For molten materials: Provide mechanical ventilation; in general such ventilation should be provided at compounding/ converting areas and at fabricating/filling work stations where the material is heated.Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.			



3

555/2 ศูนย์เอนเนอร์ยี่คอนเพล็กษ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 แฟ็กษ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangait Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2765-7000, 66(0)2765-7777 FAX: +66(0)2765-7002-5 www.irpc.co.th.www.irpcmarket.com



	••	
Apprearance	:	Colorless pellets
Odour	:	Odourless
Boiling Point	:	Not Applicale
Flash Point	:	Not Applicable
Melting Point	:	130-170°C
Vapour Pressure	:	Not Applicale
Auto ignition temperature	:	Not Applicable
Solubility	Æ	Insolublein water
Viscosity	:	Not Applicale
Upper/Lower flammability or explosive limit	:	Not Applicable
рН	:	Not Applicable
Relative density	:	Not Applicable
Specific Gravity	:	Not Applicable
Partition coefficient: n-octanol/water	:	Not Applicable
Decomposition temperature	:	Not Applicable
Explosive properties	:	Not Applicable
	:	

Section 9 - Physical and Chemical Properties

Section 10 – Stability and Reactivity

Stability	: This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.
Condition to Avoid	: Avoid temperatures above 300°C.
Material to Avoid	: Avoid solvents and oxidizing agents.
Dangerous decomposit	tion : Carbon dioxide, carbon monoxide, hydrocarbons, dense smoke.

Section 11 - Toxicological Information

Acute Toxicity

Chemical name		Route	Species	Acute Toxic Value
Polypropylene		Oral	Rat	LD50 > 8,000 mg/kg

Irritating/corrosive effects

Eye Irritation	: Solid particles may cause transient irritation from mechanical abrasion.
----------------	--

- Skin Irritation : Molten material may cause thermal burns.
- Inhalation : Process fumes may cause irritation.
- Ingestion : May cause a choking hazard if swallowed.



บริษัท โออาร์พีซี จำกัด (มหาชม) 555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กษ์ อาคาร บี ชั้น 6 กนนวิกาวดีรังสิต เขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เฟ็กษ์: +66(0)2765-7002-5 IRPC Bublic Company Limited

POLIMAXX

Section 12 – Ecological Information

Eco-toxicity : No relevant studies found.			
Persistence and degradability	: This material is not expected to be readily biodegradable.		
Bio-accumulative potential	: Insoluble in water. Not expected to be bio-accumulative.		
Mobility in soil	: No relevant studies identified.		
Other adverse effects	: Not expected to pose a significant ecological hazard.		
Section 13 – Disposal Considerations			

Disposal methods:

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licensed to accept chemical and/or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material) Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 1	4 – Transport	Information
-----------	---------------	-------------

Regulatory information	UN number	Classes	Packing group	Label	Additional information
DOT	-	-	-	-	-
ADR/RID	-	-	-	-	-
IMDG CODE	-	-	-	-	-
ICAO/IATA	-	-	-	-	-

Section 15 – Regulatory Information

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

Canada - WHMIS

This product does not meet WHMIS classification criteria.

NFPA – USA		
Health : 0	Flammability : 1	Reactivity :
HMIS		
Health : 0	Flammability : 1	Reactivity :



555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต เช่วงอตุจักร เชตอตุจักร กรุงเทพ 4 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 เพ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com

0

0

POLIMAXX

Section 16 - Other Information

ADR	: European agreement concerning the international carriage of dangerous goods by road.
RID	: Regulations concerning the international carriage of dangerous goods by rail.
DOT	: Department of Transportation
IMDG-CODE	: International maritime dangerous goods code
ICAO	: International Civil Aviation Organization
IATA	: International air transport association
CLP	: Classification and Labeling of Packaging
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals
LD50	: Lethal Dose, 50%
TWA	: Time Weighted Average
HMIS	: Hazardous Materials Identification System
NFPA	: National Fire Protection Association
WHMIS	: Workplace Hazardous Materials Information System

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาการ บี เช่น 6 กนนอีกาวดีรับสิต เขอขอตุจักร เขตอตุจักร กรุงเทพ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2765-7000, 66(0)2765-7777 FAX: +66(0)2765-7002-5 www.irpc.co.th. www.irpcmarket.com